## **EQUALITY IMPACT ASSESSMENT CHECKLIST**

## This checklist is to be used when you are uncertain if your activity requires an EIA or not.

An Equality Impact Assessment (EIA) is a tool for identifying the potential impact of the organisation's policies, services and functions on its residents and staff. EIAs should be actively looking for negative or adverse impacts of policies, services and functions on any of the nine protected characteristics.

The checklist below contains a number of questions/prompts to assist officers and service managers to assess whether or not the activity proposed requires an EIA. Supporting literature and useful questions are supplied within the EIA Guidance to assist managers and team leaders to complete all EIAs.

Service area & dept.	Traffic	Date the activity will be implemented	13/03/2018		
Brief description of activity	Gib Lane, Blackburn – Objections to the proposal to install raised speed tables				

Answers favouring doing an EIA	Checklist question	Answers favouring not doing an EIA		
□ Yes	Does this activity involve any of the following: - Commissioning / decommissioning a service - Change to existing Council policy/strategy - Budget changes	⊠ No		
□ Yes	Does the activity impact negatively on any of the protected characteristics as stated within the Equality Act (2010)?	⊠ No		
<ul><li>□ No</li><li>□ Not sure</li></ul>	Is there a sufficient information / intelligence with regards to service uptake and customer profiles to understand the activity's implications?	⊠ Yes		
☐ Yes ☐ Not sure	Does this activity:  Contribute towards unlawful discrimination, harassment and victimisation and other conduct prohibited by the Act  (i.e. the activity creates or increases disadvantages suffered by people due to their protected characteristic)	⊠ No		
☐ Yes ☐ Not sure				
☐ Yes ☐ Not sure	Foster poor relations between people who share a protected characteristic and those who do not (i.e. the function prevents people from protected groups to participate in public life or in other activities where their participation is disproportionately low)	⊠ No		
FOR =0	TOTAL	AGAINST =6		

V	V	il	П	VOII	now	he	comp	letina	an	FI	Δ?
v	v			vuu	11000	NG	COILID	IELIIIU	an		¬ :

The EIA toolkit can be found here

Assessment Lead Signature	Stath	
E&D Lead Signature	Gwen Kinloch	
Date	16/02/2018	

⊠ No

☐ Yes